



# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 13/11/2020 Revision date: 13/11/2020 Supersedes version of: 27/11/2019 Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : 008421 - TRIJELT IPA 35  
UFI : 0Y9R-W0K2-E00H-JEV6  
Product code : 008421  
Type of product : Aerosol, Cleaner.  
Vaporizer : Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Industrial/Professional use spec : Industrial  
For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

ITW Spraytec  
42, rue Gallieni  
F-92600 Asnières sur Seine - France  
T +33(0)1.40.80.32.32 - F +33(0)1.40.80.32.30  
[infofds@itwpc.com](mailto:infofds@itwpc.com) - [www.jelt.fr](http://www.jelt.fr)

### 1.4. Emergency telephone number

Emergency number : FRANCE :+ 33 (0)1 45 42 59 59

| Country        | Organisation/Company                                                                                                  | Address                                                     | Emergency number | Comment |
|----------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service<br>(Newcastle Centre)<br>Regional Drugs and Therapeutics<br>Centre, Wolfson Unit | Claremont Place<br>Newcastle-upon-Tyne<br>NE1 4LP Newcastle | 0344 892 0111    |         |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411  
Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

: Danger  
: propan-2-ol; isopropyl alcohol; isopropanol; Hydrocarbons, C6, isoalkanes, <5% n-hexane  
: H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.  
: P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P271 - Use only outdoors or in a well-ventilated area.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                        | Product identifier                                                                                    | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                              |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------------------------|
| Hydrocarbons, C6, isoalkanes, <5% n-hexane  | (EC-No.) 931-254-9<br>(REACH-no) 01-2119484651-34                                                     | 20 – 40 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |
| butane                                      | (CAS-No.) 106-97-8<br>(EC-No.) 203-448-7                                                              | 10 – 30 | Flam. Gas 1A, H220<br>Press. Gas (Liq.), H280                                                                |
| propan-2-ol; isopropyl alcohol; isopropanol | (CAS-No.) 67-63-0<br>(EC-No.) 200-661-7<br>(EC Index-No.) 603-117-00-0<br>(REACH-no) 01-2119457558-25 | 10 – 30 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                                                  |
| Propane                                     | (CAS-No.) 74-98-6<br>(EC-No.) 200-827-9<br>(REACH-no) 01-2119486944-21                                | < 20    | Flam. Gas 1A, H220<br>Press. Gas (Liq.), H280                                                                |
| Methylal                                    | (CAS-No.) 109-87-5<br>(EC-No.) 203-714-2<br>(REACH-no) 01-2119664781-31                               | < 5     | Flam. Liq. 2, H225                                                                                           |

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H-statements: see section 16

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                                                                                                                  |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general            | : Call a POISON CENTER/doctor/physician if you feel unwell.                                                                                                                      |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                                                                                                 |
| First-aid measures after skin contact | : Wash skin with plenty of water.                                                                                                                                                |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a POISON CENTER/doctor/physician if you feel unwell.                                                                                                                      |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                    |                                      |
|------------------------------------|--------------------------------------|
| Symptoms/effects                   | : May cause drowsiness or dizziness. |
| Symptoms/effects after eye contact | : Eye irritation.                    |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |                                     |
|--------------------------------|-------------------------------------|
| Suitable extinguishing media   | : Water haze. Carbon dioxide. Foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.  |

#### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                                                            |
|--------------------------------------------------|----------------------------------------------------------------------------|
| Fire hazard                                      | : Extremely flammable aerosol.                                             |
| Explosion hazard                                 | : Pressurised container: May burst if heated.                              |
| Hazardous decomposition products in case of fire | : Thermal decomposition generates : fume. Carbon dioxide. Carbon monoxide. |

#### 5.3. Advice for firefighters

|                                |                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

|                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

|                         |                                                                 |
|-------------------------|-----------------------------------------------------------------|
| For containment         | : Collect spillage.                                             |
| Methods for cleaning up | : Mechanically recover the product.                             |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

#### 6.4. Reference to other sections

For further information refer to section 13.

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                               |                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. |
| Hygiene measures              | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                                                                                                                                                                                                                                                                     |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                        |                                                                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage conditions     | : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| Incompatible materials | : Direct sunlight. Heat sources. Sources of ignition.                                                                                                                        |
| Storage temperature    | : < 50 °C                                                                                                                                                                    |

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| butane (106-97-8)                             |                                                                          |
|-----------------------------------------------|--------------------------------------------------------------------------|
| France - Occupational Exposure Limits         |                                                                          |
| Local name                                    | n-Butane                                                                 |
| VME (mg/m³)                                   | 1900 mg/m³                                                               |
| VME (ppm)                                     | 800 ppm                                                                  |
| United Kingdom - Occupational Exposure Limits |                                                                          |
| Local name                                    | Butane                                                                   |
| WEL TWA (mg/m³)                               | 1450 mg/m³                                                               |
| WEL TWA (ppm)                                 | 600 ppm                                                                  |
| WEL STEL (mg/m³)                              | 1810 mg/m³                                                               |
| WEL STEL (ppm)                                | 750 ppm                                                                  |
| Remark (WEL)                                  | Carc. (only applies if Butane contains more than 0.1% of buta-1,3-diene) |

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |                                                 |
|-------------------------------------------------------|-------------------------------------------------|
| France - Occupational Exposure Limits                 |                                                 |
| Local name                                            | propane-2-ol, alcool isopropylique, isopropanol |
| VLE (mg/m³)                                           | 980 mg/m³                                       |
| VLE (ppm)                                             | 400 ppm                                         |
| Germany - Occupational Exposure Limits (TRGS 900)     |                                                 |
| TRGS 900 Local name                                   | 2-Propanol, Isopropylalkohol, Isopropanol       |
| TRGS 900 Occupational exposure limit value (mg/m³)    | 500 mg/m³                                       |
| TRGS 900 Occupational exposure limit value (ppm)      | 200 ppm                                         |
| TRGS 900 Limitation of exposure peaks (mg/m³)         | 1000 mg/m³                                      |
| TRGS 900 Limitation of exposure peaks (ppm)           | 400 ppm                                         |

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Methylal (109-87-5)

#### France - Occupational Exposure Limits

|             |            |
|-------------|------------|
| Local name  | Méthylal   |
| VME (mg/m³) | 3100 mg/m³ |
| VME (ppm)   | 1000 ppm   |

#### United Kingdom - Occupational Exposure Limits

|                  |                  |
|------------------|------------------|
| Local name       | Dimethoxymethane |
| WEL TWA (mg/m³)  | 3160 mg/m³       |
| WEL TWA (ppm)    | 1000 ppm         |
| WEL STEL (mg/m³) | 3950 mg/m³       |
| WEL STEL (ppm)   | 1250 ppm         |

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Materials for protective clothing:

Wear suitable protective clothing

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Nitrile rubber gloves. The choice of appropriate gloves depends not only on the material, but also on other quality criteria that may vary from one manufacturer to another. As the product is a preparation made from several substances, glove material resistance may not be calculated in advance and must be tested before use. The exact penetration time of glove material is to be determined by the manufacturer of protective gloves and respected.

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                |               |
|----------------|---------------|
| Physical state | : Liquid      |
| Colour         | : Colourless. |

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                                 |                                                         |
|-------------------------------------------------|---------------------------------------------------------|
| Odour                                           | : Organic solvent.                                      |
| Odour threshold                                 | : No data available                                     |
| pH                                              | : No data available                                     |
| Relative evaporation rate (butylacetate=1)      | : No data available                                     |
| Melting point                                   | : No data available                                     |
| Freezing point                                  | : No data available                                     |
| Boiling point                                   | : < 0 °C                                                |
| Flash point                                     | : < 0 °C                                                |
| Auto-ignition temperature                       | : No data available                                     |
| Decomposition temperature                       | : No data available                                     |
| Flammability (solid, gas)                       | : Extremely flammable aerosol.                          |
| Vapour pressure                                 | : No data available                                     |
| Relative vapour density at 20 °C                | : No data available                                     |
| Relative density                                | : No data available                                     |
| Density                                         | : 0,72 g/cm <sup>3</sup>                                |
| Solubility                                      | : insoluble in water. soluble in most organic solvents. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                                     |
| Viscosity, kinematic                            | : No data available                                     |
| Viscosity, dynamic                              | : No data available                                     |
| Explosive properties                            | : Pressurised container: May burst if heated.           |
| Oxidising properties                            | : No data available                                     |
| Explosive limits                                | : No data available                                     |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Extremely flammable aerosol. Heating may cause a fire or explosion. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : fume. Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Hydrocarbons, C6, isoalkanes, <5% n-hexane

|                    |               |
|--------------------|---------------|
| LD50 oral rat      | > 36750 mg/kg |
| LD50 dermal rabbit | > 3350 ml/kg  |

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                            |                |
|----------------------------|----------------|
| LC50 inhalation rat (mg/l) | 259354 mg/l/4h |
|----------------------------|----------------|

| Methylal (109-87-5)        |           |
|----------------------------|-----------|
| LD50 oral rat              | 100 mg/kg |
| LD50 dermal rabbit         | 300 mg/kg |
| LC50 inhalation rat (mg/l) | 0,5 mg/l  |

|                                   |                                      |
|-----------------------------------|--------------------------------------|
| Skin corrosion/irritation         | : Causes skin irritation.            |
| Serious eye damage/irritation     | : Causes serious eye irritation.     |
| Respiratory or skin sensitisation | : Not classified                     |
| Germ cell mutagenicity            | : Not classified                     |
| Carcinogenicity                   | : Not classified                     |
| Reproductive toxicity             | : Not classified                     |
| STOT-single exposure              | : May cause drowsiness or dizziness. |
| STOT-repeated exposure            | : Not classified                     |
| Aspiration hazard                 | : Not classified                     |

| 008421 - TRIJELT IPA 35 |         |
|-------------------------|---------|
| Vaporizer               | Aerosol |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                                    |
|-----------------------------------------------------------|----------------------------------------------------|
| Ecology - general                                         | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                   |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

| Hydrocarbons, C6, isoalkanes, <5% n-hexane |           |
|--------------------------------------------|-----------|
| LC50 fish 1                                | > 1 mg/l  |
| EC50 Daphnia 1                             | 3,87 mg/l |
| ErC50 (algae)                              | 30 mg/l   |

| Methylal (109-87-5) |             |
|---------------------|-------------|
| LC50 fish 1         | > 1000 mg/l |
| EC50 Daphnia 1      | > 1200 mg/l |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

| Hydrocarbons, C6, isoalkanes, <5% n-hexane      |   |
|-------------------------------------------------|---|
| Partition coefficient n-octanol/water (Log Kow) | 4 |

### 12.4. Mobility in soil

No additional information available

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.

## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

| ADR                                                                                 | IMDG                                                                                | IATA                                                                                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>14.1. UN number</b>                                                              |                                                                                     |                                                                                      |
| UN 1950                                                                             | UN 1950                                                                             | UN 1950                                                                              |
| <b>14.2. UN proper shipping name</b>                                                |                                                                                     |                                                                                      |
| AEROSOLS                                                                            | AEROSOLS                                                                            | Aerosols, flammable                                                                  |
| <b>Transport document description</b>                                               |                                                                                     |                                                                                      |
| UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS                               | UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS                   | UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS                          |
| <b>14.3. Transport hazard class(es)</b>                                             |                                                                                     |                                                                                      |
| 2.1                                                                                 | 2.1                                                                                 | 2.1                                                                                  |
|  |  |  |
| <b>14.4. Packing group</b>                                                          |                                                                                     |                                                                                      |
| Not applicable                                                                      | Not applicable                                                                      | Not applicable                                                                       |
| <b>14.5. Environmental hazards</b>                                                  |                                                                                     |                                                                                      |
| Dangerous for the environment : Yes                                                 | Dangerous for the environment : Yes<br>Marine pollutant : Yes                       | Dangerous for the environment : Yes                                                  |
| No supplementary information available                                              |                                                                                     |                                                                                      |

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F  
Special provisions (ADR) : 190, 327, 344, 625  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E0  
Packing instructions (ADR) : P207  
Special packing provisions (ADR) : PP87, RR6, L2  
Mixed packing provisions (ADR) : MP9  
Transport category (ADR) : 2



# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Packages (ADR) : V14  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12  
Special provisions for carriage - Operation (ADR) : S2  
Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959  
Packing instructions (IMDG) : P207, LP200  
Special packing provisions (IMDG) : PP87, L2  
EmS-No. (Fire) : F-D  
EmS-No. (Spillage) : S-U  
Stowage category (IMDG) : None  
Stowage and handling (IMDG) : SW1, SW22  
Segregation (IMDG) : SG69

### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Y203  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 203  
PCA max net quantity (IATA) : 75kg  
CAO packing instructions (IATA) : 203  
CAO max net quantity (IATA) : 150kg  
Special provisions (IATA) : A145, A167, A802  
ERG code (IATA) : 10L

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### France

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

##### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

##### Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

# 008421 - TRIJELT IPA 35

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                             |                                                                                                         |
|-----------------------------|---------------------------------------------------------------------------------------------------------|
| Classification remarks      | : F+ <Aerosol 1>; Emergency management guidelines for the storage of flammable liquids must be followed |
| Danish National Regulations | : Young people below the age of 18 years are not allowed to use the product                             |

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2      |
| Asp. Tox. 1       | Aspiration hazard, Category 1                                          |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2                          |
| Flam. Gas 1A      | Flammable gases, Category 1A                                           |
| Flam. Liq. 2      | Flammable liquids, Category 2                                          |
| Press. Gas (Liq.) | Gases under pressure : Liquefied gas                                   |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2                                  |
| STOT SE 3         | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H220              | Extremely flammable gas.                                               |
| H222              | Extremely flammable aerosol.                                           |
| H225              | Highly flammable liquid and vapour.                                    |
| H229              | Pressurised container: May burst if heated.                            |
| H280              | Contains gas under pressure; may explode if heated.                    |
| H304              | May be fatal if swallowed and enters airways.                          |
| H315              | Causes skin irritation.                                                |
| H319              | Causes serious eye irritation.                                         |
| H336              | May cause drowsiness or dizziness.                                     |
| H411              | Toxic to aquatic life with long lasting effects.                       |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.